

APPENDIX A

Submitted with Amendment filed September 26, 2006

**PubMed**A service of the National Library of Medicine
and the National Institutes of HealthMy NCBI
[Sign In] [Register]All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book
Search PubMed for intravenous fluid rate [Go] [Clear]

Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

Now/Noteworthy [E-Utilities]

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Note: Performing your original search, *intravenous fluid rate*, in PubMed will retrieve 2252 citations.

Display: Abstract Show: 20 Sort by Send to

All: 1 Review: 0 [X]

1: Am J Hosp Pharm. 1975 Feb;32(2):177-85.

Related Articles, Links

Flow rate maintenance and output of intravenous fluid administration sets.

Demeruelle JL, Harrison WL, Flora RE.

Seven brands of intravenous fluid administration sets were studied to determine: (1) which set(s) maintained the most consistent flow rates; (2) if the type of fluid container (open, vented or closed, nonvented) affected the flow rates of administration sets; and (3) which set(s) closely approximated the theoretical amounts of fluid to be delivered in one hour at flow rates of 60, 100 and 125 ml/hour. Six samples of each brand of administration set were tested in a laboratory setting which approximated clinical conditions. The type of fluid container had little effect on the performance of the administration sets. The ARDL set was the most accurate in terms of the average volume of fluid delivered in 24 hours. The Burron set required fewer adjustments in 24 hours to maintain a constant flow rate. The U.S. Surgical set recorded the smallest percent change in flow rate at the end of the first hour. The U.S. Surgical set is rated superior in overall performance. Based on the results of the study, the authors make recommendations to health care personnel, the pharmaceutical industry and the U.S. Pharmacopeial Convention.

PMID: 1136963 [PubMed - indexed for MEDLINE]

Display: Abstract Show: 20 Sort by Send to

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Privacy Statement | Freedom of Information Act | Disclaimer

Sep 13 2006 07:26:16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1136963 0/14/2006

**AMERICAN JOURNAL OF
HEALTH-SYSTEM PHARMACY**

HOME HELP FEEDBACK SUBSCRIPTIONS ARCHIVE SEARCH TABLE OF CONTENTS

QUICK SEARCH:		[advanced]
Author:	Keyword(s):	
<input type="text"/>	<input type="text"/>	
<input type="button" value="Go"/>		
Years:	Vols:	Page:
<input type="text"/>	<input type="text"/>	<input type="text"/>

American Journal of Hospital Pharmacy, Vol 39, Issue 3, 468-471
Copyright © 1982 by American Society of Health-System Pharmacists

Articles**Effect of intravenous fluid and drug solution coadministration on final-infusate osmolality, specific gravity, and pH****RD Leff and RJ Roberts****This Article**

- ▶ [Order Full text via Infobrieve](#)
- ▶ [Alert me when this article is cited](#)
- ▶ [Alert me if a correction is posted](#)

Services

- ▶ [Email this article to a friend](#)
- ▶ [Similar articles in this journal](#)
- ▶ [Similar articles in PubMed](#)
- ▶ [Alert me to new issues of the journal](#)
- ▶ [Download to citation manager](#)

Google Scholar

- ▶ [Articles by Leff, R.](#)
- ▶ [Articles by Roberts, R.](#)
- ▶ [Articles citing this Article](#)

PubMed

- ▶ [PubMed Citation](#)
- ▶ [Articles by Leff, R.](#)
- ▶ [Articles by Roberts, R.](#)


The effects of I.v. fluid rates and I.v. drug delivery rates on osmolality, specific gravity, and pH of the resulting infusate were examined. Selected drug solutions of various osmolalities and 5% dextrose and 0.2% sodium chloride injection or Ringer's Injection, lactated, were administered simultaneously using a drug delivery system capable of controlling the flow rates independently. The I.v. fluid and drug infusion rates were varied from 4 to 46 and from 2 to 31 ml/hr, respectively. Osmolality, pH, and specific gravity of the drug solutions and final infusate were measured. Using alligation, the osmolality, pH, and specific gravity of the final infusate were calculated; correlations between observed and calculated values were computed. Guidelines for achieving an osmolality of the final infusate less than 500 mOsm/kg water were calculated. The observed and calculated osmolality and specific gravity of the final infusate were significantly correlated ($r = 0.91$, p less than 0.001, and $r = 0.99$, p less than 0.01, respectively). The pH of the final infusate was dependent on the pH of the original drug solution and was not affected by I.v. fluid and drug delivery flow rates. Osmolality may be an important factor to consider when establishing ideal drug solution infusion rates or concentrations. The infusate osmolality can be controlled by adjusting the concentration of the drug solution, drug infusion rate, or the I.v. fluid flow rate.

HOME HELP FEEDBACK SUBSCRIPTIONS ARCHIVE SEARCH TABLE OF CONTENTS
Copyright © 1982 by the American Society of Health-System Pharmacists.

Baxter[Conditions](#) [Therapies](#) [Products](#) [Services](#) [About Baxter](#)[Baxter Worldwide > United States](#)
[Training and Education](#) [Sustainability](#) [Contact Us](#) << [Back To Large Volume Infusion Pumps](#)[COLLEAGUE Volumetric Infusion Pump](#)
[FLO-GARD Volumetric Infusion Pump](#)

FLO-GARD Volumetric Infusion Pumps

The Industry Standard in Standard Set Infusion Pump Technology.

[Home](#) > [Products](#) > [Medication Management](#) > [Infusion Pumps](#) > ...

The FLO-GARD 6201 Volumetric Infusion Pump and the FLO-GARD 6301 Dual-Channel Volumetric Infusion Pump are industry standard in standard set infusion pump technology.

FLO-GARD 6201 Single-Channel Volumetric Infusion Pump

Enhanced Safety

- Flow Check Occlusion Alarm offers an in-line resistance display of incremental back pressure.
- Slide Clamp option offers an additional step to protect against inadvertent gravity free flow.
- Flow Rate Calculation is automatic after volume and time are selected.
- Front Panel Lock-out protects against tampering.

Greater Convenience and Versatility

- Programmed Delivery Profile allows up to 10 steps, individualizing control of infusion ramping and tapering.
- Incremental Flow Rate can deliver 1-99.9 mL/hr in increments of 0.1 mL/hr.
- Automatic Restart once occlusion clears.
- Automatic Piggybacking of secondary medications.

Cost-Efficiency

- Uses Baxter standard IV administration sets that eliminates the need for costly disposable sets and reduces the potential for waste.

[FLO-GARD 6201 Single-Channel Volumetric Infusion Pump Brochure \(pdf 241k\)](#)

FLO-GARD 6301 Dual-Channel Volumetric Infusion Pump

Enhanced Safety

- Flow Check Occlusion Alarm offers an in-line resistance display of incremental back pressure.
- Flow Rate Calculation is automatic after volume and time are selected.
- Slide Clamp Option offers an additional step to protect against inadvertent gravity free-flow.
- Front Panel Lock-out protects against tampering.

Greater Convenience and Versatility

- Programmed Delivery Profile allows up to 10 steps, individualizing control of infusion ramping and tapering.
- Incremental Flow Rate can deliver 1-99.9 mL/hr in increments of 0.1 mL/hr .
- Automatic Restart once occlusion clears.
- Automatic Piggybacking of secondary medications.

Cost-Efficiency

- Uses Baxter standard IV administration sets that eliminates the need for costly disposable sets and reduces the potential for waste.

For More Information[Contact Us](#)